Melamine Strip Test (Animal Feed)

2. Extraction 3. Add Sample 1. Weigh Sample Using the pipette Add 5.0 mL of provided, add 6 extraction drops of SAMPLE solution. Vortex to the conical, flipor shake for two top tube. minutes. SAMPLE SAMPLE Weight 1.0 gm of sample 4. Test 5. Dry Remove test strip. Lay flat and allow to continue Insert test strip into developing for 5 minutes. conical, flip-top tube with arrow pointing down. Incubate for 10 minutes. 6. Interpret > 2.5 ppm < 2.5 ppm **CONTROL LINE** - TEST LINE INTERPRET TEST **CONTROL LINE TEST LINE INTERPRETATION** NO CONTROL LINE NO TEST LINE PRESENT INVALID RESULT **PRESENT** CONTROL LINE PRESENT TEST LINE OF EQUAL OR GREATER < 2.5 ppm INTENSITY CONTROL LINE PRESENT MODERATE INTENSITY TEST LINE > 2.5 ppm (LESS INTENSITY THAN CONTROL LINE) OR NO TEST LINE PRESENT For Ordering or Technical Assistance Contact: ABRAXIS, LLC 54 Steamwhistle Drive, Warminster, PA 18974

Phone: 215-357-3911 Fax: 215-357-5232 www.abraxiskits.com

MBRAXIS

50 Test: PN 50005SF